

Aluminium Wire, Ingots, Cubes

Low Cost | High Purity


Aluminium Wire Rod



Aluminium Ingots



Aluminium Pyramid / Cubes



Aluminium Wire: Wedge W-AI99

Wedge Coil Aluminium Wire W-AI99 is 99 % minimum specification. Aluminum (Al) is used for deoxidizing and grain refining in steels. It is a strong deoxidizer. It is also used as nitride former and as an alloying agent. Its ability to scavenge nitrogen (N) from steel makes it a useful addition in drawing quality steels, especially for automotive applications.

Aluminum (Al) is being used as a deoxidizing element in steels for more than 100 years. Deoxidation of steel with Al is common practice today. Al plays an important role in secondary metallurgy. It forms aluminum oxide or alumina (Al₂O₃) alumina and decreases the amount of oxygen in the steel during the production of killed steels. Metallic Al is the most common addition agent.

At wedge we also supply other forms notched bars, shots, pigs, small ingots, chopped wire, briquettes along with convenient forms such as coiled machine fed wire. Purity of deoxidation grade of Al is normally over 95 % with the main tramp elements being zinc, tin, copper, magnesium, lead and manganese.


Quality		W-AI99
Wire Diameter	mm	12 (+/-0.5)
Al	%	99
Si	%	0.15
Fe	%	0.25
Cu	%	0.02
Zn	%	0.05
Mn	%	0.03
Mg	%	0.03
Coil Details		
ID of Coil	mm	540 - 720
OD of Coil	mm	1100 - 1332
Height of Coil	mm	720 - 850
Coil Weight	MT	2 - 2.5



Aluminium Ingots & Pyramids Cube: Wedge IG-AI99

At wedge we supply other forms notched bars, shots, pigs, small ingots, chopped wire, briquettes along with convenient forms such as coiled machine fed wire. Purity of deoxidation grade of Al is normally over 95 % with the main tramp elements being zinc, tin, copper, magnesium, lead and manganese.

Quality		IG-AI99
Al	%	99.5 – 99.8
Si	%	0.15
Fe	%	0.20
Cu	%	0.01
Zn	%	0.02
Mn	%	0.03
Mg	%	0.03





Wedge SSPL

14th Floor, 143 Tower 120
SilverOaks Towers, DLF Phase 1
Gurgaon Faridabad Road, Gurgaon - 122002
New Delhi Region, Haryana India